

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

### UTILITY PATENT APPLICATION TRANSMITTAL LETTER

### **BOX PATENT APPLICATION**

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

Enclosed for filing is the utility patent application of <u>Lisa T. Wood, Scott M. Lewis, and Robin T. Fried</u> for <u>Web-Based Media Submission Tool</u>.

Also	enclosed are:							
[X]	Four sheet(s) of [ ] formal [X] informal drawing(s);							
[]	a claim for foreign priority under 35 U.S.C. §§ 119 and/or 365 is [ ] hereby made to;							
	[ ] in the declaration;							
[]	a certified copy of the priority document;							
[]	a Constructive Petition for Extensions of Time;							
[X]	One executed statement(s) claiming small entity status;							
[X]	Two executed Assignment documents;							
[]	an Information Disclosure Statement; and							
[X]	Other: Return Postcard .							
Two	executed declarations of the inventor(s) [X] also are enclosed [ ] will follow.							
[]	Please amend the specification by inserting before the first line the sentenceThis application claims priority under 35 U.S.C. §§119 and/or 365 to; the entire content of which							
	is hereby incorporated by reference							

The filing fee has been calculated as follows [X]:

CLAIMS						
	NO. OF CLAIMS		EXTRA CLAIMS	RATE	FEE	
Basic Application	\$760.00					
Total Claims	6	MINUS 20 =	0	x \$18.00	0	
Independent Claims	1	MINUS 3 =	0	x \$78.00	0	
If multiple depend	260.00					
Total Application	Fee				\$1,020.00	
If verified Stateme Application Fee	510.00					
Add Assignment l	40.00					
TOTAL APPLIC	CATION FEE D	JE			\$550.00	

[X]	A check in the amount of \$	550.00	is enclosed for the fee due.	

[ ] Charge \$ \_\_\_\_\_ to Deposit Account No. 02-4800 for the fee due.

Please address all correspondence concerning the present application to:

Michael J. Ure, Esq.

Burns, Doane, Swecker & Mathis, L.L.P.

P.O. Box 1404

Alexandria, Virginia 22313-1404.

The Commissioner is hereby authorized to charge any appropriate fees under 37 C.F.R. §§ 1.16, 1.17 and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 02-4800. This paper is submitted in triplicate.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

Date:  $\frac{7/20/99}{}$ 

Susan E. Heminger Registration No. 36,449

P.O. Box 1404 Alexandria, Virginia 22313-1404 (650) 854-7400

Patent Attorney's Docket No. 032374-003 Applicant or Patentee: Lisa T. Wood, Scott M. Lewis, and Robin T. Fried Application or Patent No.: Filed or issued: \_\_ For: WEB-BASED MEDIA SUBMISSION TOOL VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 C.F.R. §§ 1.9(f) AND 1.27(c)) - SMALL BUSINESS CONCERN I hereby declare that I am the owner of the small business concern identified below: [ ] an official of the small business concern empowered to act on behalf of the concern [X] identified below: NAME OF CONCERN Picture Works Technology, Inc. ADDRESS OF CONCERN 649 San Ramon Valley Blvd., Danville, California 94526 I hereby declare that the above-identified small business concern qualifies as a small business concern as defined in 13 C.F.R. § 1.21 for purposes of paying reduced fees under Sections 41(a) and 41(b) of Title 35. United States Code, in that the number of employees of the concern,

I hereby declare that the above-identified small business concern qualifies as a small business concern as defined in 13 C.F.R. § 1.21 for purposes of paying reduced fees under Sections 41(a) and 41(b) of Title 35. United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average, over the previous fiscal year of the concern, of the persons employed on a full-time, part-time, or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention entitled <u>Web-Based Media Submission Tool</u> by inventor(s) <u>Lisa T. Wood, Scott M. Lewis, and Robin T. Fried</u> described in

[X]	the specification filed herewith	}	
[ ]	Application No.	, filed	
	Patent No.	, issued	

If the rights held by the above-identified small business concern are not exclusive, each individual, concern, or organization having rights to the invention is listed below, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 C.F.R. § 1.9(c), or by any concern that would not qualify as either a small business concern under 37 C.F.R. § 1.9(d) or a nonprofit organization under 37 C.F.R. § 1.9(e).

\*NOTE: Separate verified statements are required from each named person, concern, or organization having rights to the invention averring to their status as small entities. (37 C.F.R. § 1.27.)

Carl find to the thin the first in the first first first only the first find find the

Application No. \_ Attorney's Docket No. <u>032374-003</u>

	( ) Individual	f I am II have for any	
	( 1 lugiyldadi	( I small business concern	[ ] nonprofit organization
NAME			
ADDRESS _			
	( ] individual	[ ] small business concern	[ ] nonprofit organization
earlier of the	oss of entitlement issue fee and any	t to small entity status prior t	nt, notification of any change in status to paying, or at the time of paying, the e date on which status as a small entity
statements v punishable b Code; and ti	made on informa were made with the y fine or imprison hat such willful fo	ation and belief are believed the knowledge that willful fals ment, or both, under Section	own knowledge are true and that all it to be true; and further that these is statements and the like so made are 1001 of Title 18 of the United States are the validity of the application, any istatement is directed.
	ERSON SIGNING .	Lisa T. Wood	
NAME OF PE			Engineering aw Business Development & Marketing

10

15

Attorney Docket No.: 032374-003

### WEB-BASED MEDIA SUBMISSION TOOL

The pres	sent application is related by subject matter to U.S. Application
Serial No	(Atty. Dkt. No. 032374-002) entitled
	, filed on even date herewith and incorporated herein by
reference.	·

### BACKGROUND OF THE INVENTION

### 1. Field of the Invention

The present invention relates to the handling, manipulation and processing of digital content and more particularly to the transportation and Internet publishing of digital content, particularly image media objects and rich media.

### 2. State of the Art

Much of the phenomenal success of the web is attributable to its graphical nature. Literally, a picture is worth a thousand words. The capture of digital images has become routine, using digital cameras and scanners. Nevertheless, although the handling of images by web-site creators has achieved a high degree of automation, for the average technology user (the "imaging civilian"), manipulating and sharing digital images over the Internet remains a cumbersome and daunting process. Piecemeal solutions that have been devised for handling digital images require a level of sophistication that is beyond that of the ordinary user. For example, transferring a digital image may require first downloading a FTP program, then installing it, then running it and connectting to an FTP server by typing the server name in the connection dialog, then navigating to the proper subdirectory, selecting the files to be uploaded, making sure that the program is in binary transfer mode, then sending the files. For the imaging civilian, such an

involved process can be daunting to say the least.

Additionally, as technologies advance and casual users begin to experiment with other media objects, such as streaming video, 3D objects, slide shows, graphics, movies, and even sound files that accompany imaging data, the processes required to share these rich media types on the Internet becomes exponentially more complicated and prohibitive. As the realization of the Internet as an interactive, content rich medium becomes more and more a reality, the need for enabling the use and distribution of rich content and media on the Internet will become the gating factor to its long term success.

10

15

20

5

\$ ,

A broad-based solution to the foregoing problem requires a web-based media submission tool that allows for submission of media objects in a convenient, intuitive manner. A company named Caught in the Web, has attempted to create a broad-based media submission tool known as "ActiveUpload". ActiveUpload allows an arbitrary file to be dragged and dropped onto a web page control for upload to the web server. An ActiveUpload control allows users to, without leaving a web page, transfer files to a server (Internet or intranet) by selecting the files on the user's desktop that the user wants to transfer, then dragging them onto the web page. For example, a user, having visited a web page, can contribute pictures, documents, zip files, etc., without having to leave the web page and use an FTP program. Standard web authoring tools can be used to integrate ActiveUpload into web pages and change the behavior of the control.

25

Although Caught in the Web's ActiveUpload tool simplifies the user experience, it does little toward furthering "backend" automation in the handling and distribution of media objects and has no built in "intelligence" to streamline the process of handling and transporting rich media objects from the front end.

10

15

20

25

### SUMMARY OF THE INVENTION

The present invention, generally speaking, provides an improved webbased media submission tool. As with some existing tools, operation of the tool is drag and drop or the user can "click" to browse a directory to select media objects. Unlike existing tools, the tool provides several unique and valuable functions. For example, the tool provides the user an opportunity to confirm the submission with a visual representation, for example by generating a thumbnail image of the rich media file that has been selected. Additionally, batch submission is provided to allow a user to drag and drop or select a plurality of images or other media objects. Submission from a web page to a web page is also provided for. Even more importantly, the submission tool is configurable to perform a variable amount of intelligent preprocessing on media objects prior to upload. In the case of digital images, the tool can perform sizing and formatting, for example. Information capture is performed with information being uploaded together with the media objects. In an exemplary embodiment, information capture is both user-transparent (e.g., user ID and/or password) and user-visible (e.g., the user can provide captions for media objects). The submission of information about the user and the media objects facilitates automatic integration of the media objects within existing databases.

### BRIEF DESCRIPTION OF THE DRAWING

The present invention may be further understood from the following description in conjunction with the appended drawing. In the drawing:

Fig. 1 is a diagram of an exemplary web page providing media object acquisition functions;

Fig. 2 is a diagram of another exemplary web page providing image acquisition functions;

Fig. 3 is a table pertaining to a first portion of the Prepare and Post component design; and

**Fig. 4** is a table pertaining to a second portion of the Prepare and Post component design.

5

1

### DETAILED DESCRIPTION OF THE PRFERRED EMBODIMENTS

The following describes the Prepare and Post<sup>™</sup> tools, which prepares and submits media objects from inside a standard browser, referred to as the first location, to a second location or server. The media objects may be pictures (images), movies, videos, graphics, sound clips, etc. Although in the following description the submission of images is described in greatest detail, the same principles apply equally to media obejcts of all descriptions.

15

10

The Prepare and Post tools refers to browser-side components which together provide the ability to submit and transport media objects over the web to be stored and served. Using the Prepare and Post tools, end users can submit images in an immediate, intuitive manner. No technical sophistication is required. In particular, understanding technical terms such as JPEG, resolution, pixel, kilobyte, transfer protocol, IP address, FTP etc., is not required, since the Prepare and Post tools handles all of these tasks for the user. The benefits of the Prepare and Post tool are:

20

- a) to the image submitter, the ability to submit media objects to web pages immediately without needing to overcome technical obstacles;
- b) to the image submitter, the ability to submit media objects to web pages "as is" without making modifications to the media objects prior to sending.

25

c) to PictureWorks web site partner, access to a uniform, standardized, reliable and secure channel for media acquisition;

- d) to PictureWorks web site partner, access to contributed media "made to order", it meets their imaging specifications every time without human intervention;
- e) to PictureWorks web site partner, the ability to provide web site visitors with an easy, error free way to contribute media;
- f) to PictureWorks web site partner, access to contributed media in "real time" with no time delays.

The two primary components used in the Prepare and Post tools which carry out these functions are 1) the media object identifier and 2) the media sender.

In general, the media object identifier functions to provide a graphical interface for placing and associating a media object from a user's desktop onto a web page. The media sender carriers out the function of transmitting media objects to a second location.

There are two ways media objects on the first location become associated with a media object identifier. The first is through a "drag and drop" behavior where the user clicks on a media object to select the one they want to submit. The media object is then dragged to the media object identifier. Releasing the mouse button associates the media object with the media object identifier. This behavior is allowed in web browsers that support drag and drop functionality. The Prepare and Post tools enable these browsers to accept media objects via drag and drop by providing the media object identifier as an ActiveX component.

The second way to associate a media object on the first location with the media object identifier is to click on the media object identifier to browse for media objects, then select the media object of choice. This method is made available for web browsers where the media object identifier needs to be a pure Java component. (Such "signed applet browers" like Netscape Navigator) In this instance, the user may be asked to choose a media object in a similar manner as

15

10

\* (

5

20

**t** 

5

10

15

20

25

when choosing a file to be opened, either by graphical navigation or by specifying a path name. For example, a prompt associated with the media object identifier may be displayed prompting the user to click within the media object identifier. Clicking within the media object identifier brings up a browse dialog. Using the browse dialog, the user selects the desired media object, which is then placed in the media object identifier. The Prepare and Post tools will generate a visual representation or thumbnail of the media object, a feature currently not available in signed applet browsers.

Real estate is an example of a prime application of the Prepare and Post tools. "Curb appeal" is of great importance in the realty industry and can only be judged by "drive-bys," which are time-consuming and laborious, or by the availability of images. The Prepare and Post tools make real estate images readily available with a minimal amount of effort.

Referring to Figure 1, an example is shown of a realty web page featuring the described Prepare and Post tools functionality. The user associates images with a media object identifier via the methods described above and selects appropriate captions for the images, e.g., living room, family room, etc. The captions may be typed in or selected from menus. The user also supplies identifying information, in this instance the MLS listing number. When the user clicks the Send button, the images are uploaded and processed immediately according to the configuration of the Prepare and Post tools.

The Prepare and Post tools also support a batch interface, allowing a plurality of images to be submitted simultaneously as in the case of a professional photographer, for example. The opportunity for user confirmation is again provided, e.g., by displaying a visual representation of the images in the batch.

If a mistake is made such that the wrong image is placed in an media object identifier, the correct image may be placed in the media object identifier. The correct image will replace the mistaken image. Alternatively, the user may remove an image from a media object identifier by right-clicking on the media object identifier and selecting Remove within a resulting pop-up menu.

Note that any number of media object identifiers may be provided on a web page and that the media object identifiers may be separate or grouped. This is evident in Figure 2. The number of media object identifiers provided on a page can be pre-configured and fixed, allowing no user intervention, or the media object identifiers can be generated dynamically, allowing the user to determine how many media object identifiers they need for media submission. Figure 2 shows a web page with various sizes of media object identifiers. If a media object identifier is separate, its image will be transmitted separately to the second location. If an media object identifier is part of a group, its image will be transmitted to the second location as part of a group of images that are stored together and cataloged together. Media object identifiers that are associated together as a group are noted as such in the web page interface and transparently in the media object identifier object code. Moreover, a web page may have multiple groups of media object identifiers, or "groups of groups."

15

20

5

10

The usefulness of images is greatly enhanced by capturing and identifying information about the images and submitting the identifying information with the images. Information may be image-specific, user-specific or both. The submission of information about the user and the media objects facilitates automatic integration of the media objects within existing databases. Information capture may be overt or covert or both. This unique automatic database integration enables the images to be served with the proper web page data. Overt information capture relies upon the user to make menu selections of appropriate captions as illustrated in Figure 1, or to make text entries within text fields, or both. The Prepare and Post tools are easily customized to accept menu selections and text fields for different applications. Covert information capture occurs by having the web browser automatically pass to the Prepare and Post tools known information such as a user ID or password used to accept the web page.

25

A key differentiator of the Prepare and Post tools is the browser, or clientside intelligence built into the tools. This intelligence directly provides features including those already outlined such as associating data with media objects, generating a visual representation of the media objects and generating media

10

15

20

25

object identifiers dynamically or in a pre-set manner. Other features are also provided via this intelligence, specifically, the ability to control the width and height of the media object identifier and the ability to preprocess the media objects in any number of ways prior to transporting to a second location. In the case of an image media object for example, the Prepare and Post tools may resize the image, (i.e., increase or decrease its size as defined by either physical dimensions, pixel count, or kilobytes). Compression, for example, is a type of sizing. The Prepare and Post tools may also change the image's file format (a way of a media object being identified as to a "type" or "kind" of media), change the quality setting of the image, crop the image or change the aspect ratio, add text or annotations, encode or combine (including stitching) the media object, or enhance the media object by changing image values, for example, relating to contrast or saturation. This intelligence may be executed in a manner that is transparent to the end user. This transparency allows the end user to submit media to the Prepare and Post tools "as is," since the tools will automatically prepare it to meet the requirements of the second location. Note that, although image submission may involve client-side processing, image processing is not required.

The Prepare and Post tools are available for customers to integrate into their own web pages. The Prepare and Post tools are easily integrated into web sites (customers) to allows those sites to accept media objects from web site visitors (users). Appendix A is a generic HTML HostTemplate illustrating how Prepare and Post components are integrated into a web page. The HTML template file (which is a complete working example) contains instructions and a few small code snippets that the customer pastes into the web page. Integrating the Prepare and Post components requires an Initialization Section, a Configuration Section, an ImageWell (media object identifier) Section, a Submission Section and an ImageUpLoad Control Section. To include the Prepare and Post tools media object identifiers on a web page, the customer cuts and pastes code snippets for these sections from the template into the web page.

The Initialization Section consists of a few lines of JavaScript code that will download all of the needed Prepare and Post submission components.

10

15

20

25

The Configuration Section overrides various configurable default settings that the customer can control. In the Configuration Section, the media object identifier component is sized and configured to perform any preprocessing of the image that may be desired prior to upload. Configurable parameters include both fixed values for all submissions (per submission values) and fixed values for all images within a submission (per image values), as will be explained presently.

Fixed values for all submissions include *DefaultImageWidth* and *DefaultImageHeight*, as well as include *DefaultControlWidth* and *DefaultControlHeight*. The former specify the default width and height of the images after they have been compressed for transmission. The latter specify the default width and height of all media object identifiers. To create media object identifiers having different sizes, the customer specifies the desired size when creating the media object identifier. Another fixed value for all submissions is *Quality*. This determines the quality level of the images after they have been compressed for transmission (0 is the lowest quality/highest compression and 100 is the highest quality/lowest compression).

Fixed values for all media objects within a submission include *Key1* and *Key2*. *Key 1* is the primary value that determines the filename of the resulting image file and, consequently, its URL. It is important that each submitted image have a unique name to prevent one image from overwriting another. *Key2* is an optional secondary key that is appended to *Key1* before the image's filename and URL are created. While default values for *Key1* and *Key2* can be specified in the configuration section, more likely this value will be supplied from a field in the web form. If the web page form contains a control named "Key1," then its value will be used for this key. For example, the field Key1 might be labeled as "MLS Number" on the web page. Similarly, the field Key2 might be labeled "Zip Code" on the web page. A sequence number is appended to the Key1/Key2 combination. When there are multiple media object identifiers on a page, this will ensure that each image has a unique key.

All media object identifiers on a web page must be contained within an

HTML form. A single line of JavaScript code is inserted into the web page (within the HTML form) in each place where a media object identifier is desired. The Media object identifier Section can specify the width and height for each media object identifier. If the width and height are omitted, then the default width and height from the Configuration Section are used.

The Submission Code Section contains HTML code that creates the button that submits both the images to the second locations and the form to the customer's server. Within the Submission Code Section, an HTML "href" parameter is required for the Send Button that causes the images to be sent. After the images have been sent, the web page form will be submitted in the standard manner. The form must define two hidden fields named "url" and imagecount." The imagecount field will contain the number of images actually transmitted. In an exemplary embodiment, the URL for images 2 through "n" are generated by replacing the initial sequence number at the end of the returned URL with the desired image number.

The ImageUpload Control Section holds a small piece of JavaScript code that is placed at the very end of the body section of the web page. This code creates the non-visible Image Upload control, or media sender, that performs the transfer of images from the user's machine to the second location.

The Prepare and Post components support multiple browsers and dynamically adjust their behavior according to the type of browser that is currently running. For example, under supported versions of Microsoft's browsers, media object identifiers are implemented as ActiveX controls, while under supported Netscape browsers, media object identifiers are implemented as Java Applets. This multiple browser support is completely automatic.

Figures 3 and 4 present further details of the media object identifier and media sender components, respectively.

From the foregoing description, it will be appreciated that the present media submission tool, besides offering convenience to the end user, offers

20

5

10

15

convenience and flexibility to technology partners. In particular, web page integration is designed to facilitate automatic server-side integration of media content.

It will be apparent to those of ordinary skill in the art that the present invention can be embodied in other specific forms without departing from the spirit or essential character thereof. The presently disclosed embodiments are therefore considered in all respects to be illustrative and not restrictive. The scope of the invention is indicated by the appended claims rather than the foregoing description, and all changes which come within the meaning and range of equivalents thereof are intended to be embraced therein.

10

**^**11 <u>۸</u> ^- <u>۸</u>

<!--\*\*\*\* needed by the image wells. You can</pre>

<!--\*\*\*\* This section defines data values

<!--\*\*\*\* wells.

\*\*\*\*\*--i>

<!--\*\*\*\* modify these values to suit -->

• • i

```
<SCRIPT type="text/javascript" src="http://157.22.134.49/company/pwtcomponents.js"></SCR</pre>
                                                                                                                                                                                                                                                                                                           <SCRIPT type="text/javascript" src="http://157.22.134.49/company/company.js"></SCRIPT>
                                                                                                                                         <u>۸</u>
۱
                                                                                                                                                                                                                     <!--**** your web page. Copy this code and
<!--**** paste it directly into your web page.-->
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 ۸
۱
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          <u>۸</u>
۱
                                                                                                                                                                                                   <u>۸</u>
                                                                                                                                                                                              <!--**** the beginng of the <HEAD> section of
                                                                                                                                                                         <!--**** This section of code must appear at
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                <!--*** the <FORM> that contains the image
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                <!--**** anywhere after the initialization
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           <!--*** This section of code must appear</pre>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         <!--** section (above), and before the</pre>
APPENDIX A:
                                                                                                                                                                                                                                                                                                                                                                                                      </HEAD>
                                                                                                                                                                                                                                                                                                                                                                                                                            <BODY>
                                                                                      <HTML>
                                                                                                           <HEAD>
```

```
// If the <FORM> contains fields named 'Keyl'
                                                                                                                                                                                                                     & 'Key2' their values will be used
                                                                                                                                                                            // Include a 3 pixel border
                                                                                                                                                      // Includes a 3 pixel border
<u>۸</u>
                                             PWT.Key1 = "name-your-image-here";
                                                                                                                                                                                   PWT.DefaultControlHeight = 246;
                                                                                                                                                            PWT.DefaultControlWidth = 326;
                       <SCRIPT Language="Javascript">
                                                                                                                                       PWT.DefaultImageHeight = 480;
                                                                                                                  PWT.DefaultImageWidth = 640;
   <!--**** your needs.</pre>
                                                                                           PWT.Quality = 93;
                                                                     PWT.Key2 = " ";
```

# APPENDIX A (cont.) HostTemplate generic.htm

<FORM>

É

. , ,

```
<!--** Begin Submission Code Section</pre>
                                                                                                                                                                                                                                                                              // or "PWT.addimagecontrol(640,480);" to override
                                                                  // the default width and height.
                                                                                                                                                                                      ۸
۱
                                                                                                                  <u>۸</u>
                                                                                                                                        ۸
۱
                                                                                                                                                                ^-
                                                                                                                                                                                                              ۸
۱
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   <u>۸</u>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      ۸
۱
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            ۸
۱
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    <u>۸</u>
                                                                                                                                                                                                                                     ^-
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          ^11
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 <u>۸</u>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         <!--**** You can use any type of button you</pre>
                                                                                         <!--**** This code creates an image well on
                                                                                                                                       <!--**** only contains a single image well,
                                                                                                                <!--**** the web page. While this template
                                                                                                                                                                                     Copy this code into your web page
                                                                                                                                                                                                            <!--**** anywhere within your <FORM> where
                                                                                                                                                                                                                                   <!--**** you want an image well to appear.
                                                                                                                                                            you can use as many as you like.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                <!--**** wish, but rather than it being a
This sample displays a working image well
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      standard SUBMIT button, it must
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              instead contain the parameter:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             onclick="PWT.Submit()"
                                                                                                                                                                                                                                                                                                                                                                                                                         This text is after the image well
                                                                                                                                                                                                                                                           <SCRIPT Language="Javascript">
                                                                                                                                                                                                                                                                                  PWT.addimagecontrol();
                                                                                                                                                            *****--i>
                                                                                                                                                                                     *****--i>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       *****--i>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              *****--i>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     *****--i>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            *****--i>
                                                                                                                                                                                                                                                                                                                              </SCRIPT>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   *****--i>
                        <BR>
```

^-

<u>۸</u>

your web page FORM will be submitted

<!--\*\*\*\* in the standard manner.

(as shown in the example below).

\*\*\*\*\*!-i>

\*\*\*\*\*

<!--\*\*\*\* After the images have been sent,

# APPENDIX A (cont.) HostTemplate generic.htm

¥ . . . ,

```
<INPUT type="button" value="Submit Images" onclick="PWT.Submit()">
                                                                                                                                                                                                                                                                                                           <u>۸</u>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              ۸
۱
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    <u>۸</u>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          <u>۸</u>
                                                                                                                                                                                                                                      <u>۸</u>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            <!--**** paste it directly into your web page. -->
                                                                                                               image submitted, and the "imagecount"--> field will contain the number of ---
                                                                                                                                                                                                                                                            <u>۸</u>
                                                 ٨
                                                                        <u>۸</u>
                                                                                              ^-
                                                                                                                                                                                         ^-
                                                                                                                                                            images actually transmitted. The URL
                                                                                                                                                                                       for images 2 thru n can be generated
                                                                                          resulting URL of the first (or only)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            <!--**** This section of code must appear at
                                                                                                                                                                                                                                                       at the end of the returned URL with
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      <!--**** your web page. Copy this code and
                                                                                                                                                                                                           <!--*** by replacing the initial sequence</pre>
                                                                                                                                                                                                                                  <!--**** number (which will always be "1")</pre>
                     fields named "url" & "imagecount"
                                                                    field will be populated with the
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 <!--**** the end of the <BODY> section of
<!--**** Your FORM must define two hidden
                                            (see examples below). The "url"
                                                                                                                                                                                                                                                                                                                                                 <INPUT type="hidden" name="imagecount">
                                                                                                                                                                                                                                                                                                        <!--**** the desired image number.
                                                                                                                                                                                                                                                                                                                             <INPUT type="hidden" name="url">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     <SCRIPT Language="Javascript">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               PWT.adduploadcontrol();
                      *****--!>
                                                                    *****---
                                                                                          *****--i>
                                                                                                                *****!-!>
                                                                                                                                        *****---
                                                                                                                                                                                     *****--i>
                                                                                                                                                                                                                                                          *****--i>
                                             *****--i>
                                                                                                                                                             *****--i>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   </SCRIPT>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  </BODY>
                                                                                                                                                                                                                                                                                                                                                                                                  </FORM>
```

15

### What is claimed is:

location.

1. A method of transporting a *media object* from a *first location* to a *second location*, comprising the steps of:

accessing a Web page containing at least one media object identifier;
locating a media object on a first location;
associating the media object with the Web page media object identifier;
transporting the media object from the first location to the second

2. The method of Claim 1 further comprising the steps of digitally processing the *media object* prior to transporation to the *second location* in at least one of the following ways:

Reducing the size of the media object,

Compressing the media object for purposes of transportation,

Changing the *file format* of the *media object*,

Changing the aspect ratio or otherwise cropping the media object,

Adding text or other annotation to the media object,

Encoding or otherwise converting the media object

Processing the *media object* in a manner that completely fills the *media* object identifier or maintains the aspect ratio of the *media object* within the *media object identifier* 

Changing the *orientation* or otherwise *rotating* the *media object*,

Combining (including stitching) of multiple media objects, or

5

10

Enhancing the image by changing its contrast or saturation values.

- 3. The methods of Claims 1 and 2 wherein the *media object* is associated with *the media object identifier* by dragging a *visual representation* of the *media object* from *the first location* to the *media object identifier* in the Web page.
- 4. The methods of Claims 1 and 2 wherein the *media object* is associated with the *media object identifier* by *browsing and selecting* files on the *first location*.
- 5. The methods of Claim 1 and 2 wherein more than one *media object* is associated or processed simultaneously
- 6. The methods of Claim 1 and 2 wherein more than one *media object identifier* is generated dynamically or generated from pre-set instructions.

10

15

### ABSTRACT OF THE DISCLOSURE

The present invention, generally speaking, provides an improved webbased media submission tool. As with some existing tools, operation of the tool is drag and drop or the user can "click" to browse a directory to select media objects. Unlike existing tools, the tool provides the user an opportunity to confirm the submission, for example by generating a thumbnail image of an image file that has been dragged and dropped. Batch submission is provided for in which a user drags and drops a plurality of images or other media objects. Submission from a web page to a web page is also provided for. The submission tool is configurable to perform a variable amount of intellegent preprocessing on media objects prior to upload. In the case of digital images, the tool can perform sizing and formatting, for example. Information capture is performed with information being uploaded together with the media objects. In an exemplary embodiment, information capture is both user-transparent (e.g., user ID and/or password) and user-visible (e.g., the user can provide captions for media objects). The submission of information about the user and the media objects facilitates automatic integration of the media objects within existing databases.

# OMI 95 Recollor Services

3 " \* .

छंडांग्ल डोबाटना Send Photos Homes मंगमानालु भारत श्रेजीवडाणु पिरीए

### Today's Rates

5.6% 6,75% 6.45% National average rates Year Adjustable 30-Year Fixed 15-Year Fixed

Adding Motos to your listings

Get better exposure for your listings by including some pictures of the property. Its easy! Just locate the folder on your computer containing descriptive caption for each photo and then click the "Send Photos" your photos, and then drag them into the boxes below. Select a button.

Frequently Asked 

Tiles Resp. Falls News

We hope you enjoy our site. Melcome to Homes! Hease send us your 

9

Oraq Phata

Front View

Front View

Front View

Front View

Home & Rate Trackers

Receive free e-mail updates

Listing Name

Select Image Select Image Select Image Select Image Select Image Select Image Click Here to on your computer containing your photos, and then drag up to six photos into the Get better exposure for your items by including a picture. Its easy! Just locate the folder on your computer containing your photos, and then drag a photo into the Really show off your item. Add a SurroundView. Its easy! Just locate the folder boxes below. The photos will be combined into an animated presentation. 🌃 (\$.25 chagge),(pyklona) " The defined to Fig. 2 Select Image Click Here to Adding a photo of your item Adding a Surround View (\$2.00 charge) (optional) box below. Digital Image Processing Digital Image Processing Surround View? by PictureWorks Picture? \*\*

PWImageControl Interface:

|                | 4   | 2                                   |                                |                     |   |   |  |
|----------------|---|-------------------------------------|--------------------------------|---------------------|---|---|--|
|                | Jean ' create temm!                                   |                                     |                                |                     |   |   |  |
|                | ScaleIms  | ) As String<br>DelTempfile()        | fileName as String             | inageName as String | ClearImage()  | backgroundColor as String   | textColor as String  |
| Definition     | Scales an image in<br>place or to a<br>temporary file | Deletes temporary file created with | Name of file<br>shown in image | String value from   | Clears the image from the display and redisplays the logo and | instructional text Hexidecimal RGB string value in format "FFFFFF" or "#FFFFFF" | Hexidecimal RGB string value in format "FFFFFF" or "#FFFFFF" |
| Type           | function  | qns                                 | String<br>property             | String              | qns   | String<br>property  | String<br>property   |
| Interface Name | ScaleImage  | DelTempFile                         | fileName                       | imageName           | ClearImage  | backgroundColor   | textColor  |
|                | ş ·   |                                     |                                |                     |   | •   |  |

FIGURE 3

## PWMediaSendControl Interface for the sing of the first the sing of the sing of

| Type function String property  |  |  |
|--|--|--|
| Request function  String F  Property S  String F  String F  String F  String F | Signature SubmitMediaRequest( UserID As String, 'partner UID Password As String, 'partner password ServiceType As String, '"HOST" or "MIRROR" IndustryCode As Integer, 'e.g., 65=real estate MediaType As Integer, 'l=image 2=video 3=sound OpCode As Integer, 'l=image 2=video 3=sound OpCode As Integer, 'l=image 2=video 3=sound OpCode As Integer, 'l=image 2=video 3=sound MediaType As Integer, 'l=image 2=video 3=sound MediaGroupID As String, 'Used to build unique key MediaGroupID As String, 'Used to build unique key MediaSequenceNum As Integer, '''' Desc1 As String, '255 chars Desc2 As String, '255 chars Desc3 As String, '255 chars | ServerRetString as String  |
| Request Si Pri   | Definition Transfers image and returns a status code. The action is successful if the return code is 0. If non-zero return code examine ServerRetString for a reason.  | Return value from<br>SubmitMediaReq<br>uest. If call made<br>on HOST service,<br>this string<br>contains the IMG |
| Request  | Type function  | String<br>property   |
| Serv   | SubmitMediaRequest   |  |

est p

Usage Example (VB Script)

tempFileName = DragImage1.ScaleImage(320, 240, 89, 1) 'scale the image object 'DragImage1'
result = UplHandler.SubmitMediaRequest( UserID, Password, ServiceType,

FIGURE 4

1, ipAddress, tempFileName, mlsNum.Value,

zipcode, imageCount,

title, desc2, desc3,

DragImage3.DelTempFile

'delete the temp file

| COMBINED DECLARATION AND POWER<br>FOR UTILITY PATENT APPLICA  |   | Attoracy's Docket No.<br>032374-003   |  |  |  |  |  |
|---|---|---|--|--|--|--|--|
| As a below-named inventor, I hereby declare that:  My residence, post office address and citizenship are as stated below next to my name; I BELIEVE I AM THE ORIGINAL, FIRST AND SOLE INVENTOR (if only one name is listed below) OR AN ORIGINAL, FIRST AND JOINT INVENTOR (if more than one name is listed below) OF THE SUBJECT MATTER WHICH IS CLAIMED AND FOR WHICH A PATENT IS SOUGHT ON THE INVENTION ENTITLED:           |   |   |  |  |  |  |  |
| WFB-BASED MEDIA SUBMISSION TOOL   |   |   |  |  |  |  |  |
|   |   |   |  |  |  |  |  |
| the specification of which  |   |   |  |  |  |  |  |
| (check one)   | is attached hereto;   |   |  |  |  |  |  |
|   | was filed on  | as  |  |  |  |  |  |
|   |   |   |  |  |  |  |  |
|   | and was amended on  |   |  |  |  |  |  |
|   |   | (if applicable)   |  |  |  |  |  |
| I HAVE REVIEWED AND UNDERSTAND THE CONT<br>INCLUDING THE CLAIMS, AS AMENDED BY ANY A  | ents of the above-11<br>Mendment referrei   | DENTIFIED SPECIFICATION,<br>D TO ABOVE;   |  |  |  |  |  |
| I ACKNOWLEDGE THE DUTY TO DISCLOSE TO THE<br>MATERIAL TO PATENTABILITY AS DEFINED IN 1TT<br>(as amended effective March 16, 1992);  |   |   |  |  |  |  |  |
| I do not know and do not believe the said invention was ever<br>my or our invention thereof, or patented or described in any<br>invention thereof or more than one year prior to said applic<br>in the United States of America more than one year prior to<br>or made the subject of an inventor's certificate issued befor<br>United States of America on any application filed by me or<br>months prior to said application; | y printed publication in any<br>ation; that said invention was<br>said application; that said is<br>a the date of said applicatio | country before my or our<br>as not in public use or on sale<br>invention has not been patented<br>n in any country foreign to the |  |  |  |  |  |
| I hereby claim foreign priority benefits under Title 35, Unit application(s) for patent or inventor's certificate as indicate application for patent or inventor's certificate on this inventorial priority is claimed.   | d below and have also ident   | ified below any forcign   |  |  |  |  |  |

| COMBINED DECLARATION  | AND POWER  | OF ATTORN  | IEY   | Attorney's Doc<br>032374-003  | ckel No.                |  |  |
|---|--|--|---|---|-------------------------|--|--|
| COUNTRY/INTERNATIONAL   | APPLICATIO   | N NUMBER   | 1   | E OF FILING<br>, month, year)   | PRIÓ<br>CLAI            | RITY<br>MED  |  |
|   |  |  |   |   | YES_                    | NO_  |  |
|   |  |  |   |   | YES_                    | NO   |  |
| I hereby appoint the following attorneys and agent(s) to prosecute said application and to transact all business in the Patent and Trademark Office connected therewith and to file, prosecute and to transact all business in connection with international applications directed to said invention:   |  |  |   |   |                         |  |  |
| William L. Mathis Peter II. Smolka Robert S. Swecker Platon N. Mandros Patton S. Duffeu, Jr. Norman H. Stepno Ronald L. Grudziecki Feederick G. Michaud, Jr. Regis E. Shutter Regis E. Shutter Raph L. Freeland, Jr. Robert G. Miker, Jf. Regis E. Shutter Raph L. Freeland, Jr. Robert G. Mukai Regis E. Shutter Raph L. Freeland, Jr. Robert G. Mukai Regis E. Shutter Raph L. Freeland, Jr. Robert G. Mukai Regis E. Shutter Robert G. Mukai Regis E. Shutter Robert G. Mukai Regis E. Shutter Robert G. Mukai Robert G. Mukai Robert G. Mukai | George A. Hovan Jemes A. LaBarre B. Joseph Gees; R. Danny Huntin; Eric H. Welsblatt James W. Peterso Teresa Stanek Re; Robert E. Krebs William C. Rowe; T. Gene Dillahun Fairick C. Keans Bruce J. Boggs, J. William H. Benz | 20, 28, 28, 28, 20, 27, 30, 10 26, 2 30, 25, und 30, 27, 27, 27, 27, 32, 32, | 223<br>632<br>510<br>903<br>505<br>427<br>427<br>488<br>888<br>888<br>888<br>888<br>888<br>888<br>888 | Peter K. Skiff Richard J. McGr Mathew L. Sch Michael G. Sava Gerald F. Swiss Michael J. Ure Charlos P. Wicke Bruce T. Wieder Todd R. Wahers Ronal S. Jillions Haroid R. Brown Allen R. Baum Steven M. do Bo | neider<br>ge<br>and III | 31,917<br>29,195<br>32,814<br>32,596<br>30,113<br>33,089<br>33,089<br>33,815<br>34,040<br>31,979<br>36,341<br>36,086<br>35,023 |  |
| Address all correspondence to:  | Michael J. Ure,<br>Burns, Doane,<br>P.O. Box 1404<br>Alexandria, Vir   |  |   | L.P.  |                         |  |  |
| Address all telephone calls to: Michael   | J. Ure, Esq.   |  |   | at  | (650) 854-74            | 00.  |  |
| I hereby declare that all statements made I and belief are believed to be true; and fur statements and the like so made are punish. United States Code and that such willful furthercon.  | ther that these state<br>table by fine or im   | ments were mad<br>prisonment, or b   | e with th<br>oth, mode  | e knowledge that<br>er Section 1001 o   | willful false           | tha .  |  |
| FULL, NAME OF SOLE OR FIRST INVENTOR  |  | SONATURE   | T   |   | DATE                    |  |  |
| Lisa T. Wood<br>RESIDENCE   |  | Magn   |   |   | 7.9.90                  | 1  |  |
| One Woodside Court, Denville, California 94506  |  |  | ł   | CITIZENSHIP   | -                       |  |  |
| POST OFFICE ADDRESS   |  |  | 1   | DSA   |                         |  |  |
| Same As Above   |  |  | 1   |   |                         |  |  |
| FULL NAME OF SECOND JOINT INVENTOR. I   | FANY   | SIONATURE  | 1/2   | 6   | DATE                    |  |  |
| SCORT M. Lewis RESIDENCE  |  | V XOTTH  | lle   |   | 7-9-9                   | 9  |  |
| 314 Squirrel Ridge Way, Danville, California 94506  | · •  |  | I   | CITIZENSHIP   |                         |  |  |
| POST OFFICE ADDRESS   |  |  |   | USA   |                         |  |  |
| Same As Above   |  |  |   |   |                         |  |  |
| FULL NAME OF THIRD JOINT INVENTOR, IF   | ANY  | SIGNATURE  |   |   | DATE                    |  |  |
| Robin T. Fried  RESIDENCE   |  |  |   |   |                         |  |  |
| 2316 Corona Court, Berkeley, California 94708   |  |  |   | CMIZENSHIP  |                         |  |  |
| POST OFFICE ADDRESS   |  |  |   | USA   |                         |  |  |

### COMBINED DECLARATION AND POWER OF ATTORNEY

Attorney's Docket No. 032374-003

| FOR UTILITY PATENT APPLICA   | ATION  | , , , , , , , , , , , , , , , , , , ,   |
|--|--|---|
| As a below-named inventor, I hereby declare that: My residence, post office address and citizenship are as stall BELIEVE I AM THE ORIGINAL, FIRST AND SOLIORIGINAL, FIRST AND JOINT INVENTOR (if more than WHICH IS CLAIMED AND FOR WHICH A PATENT IS  | INVENTOR (if only one on one name is listed below;   | name is listed below) OR AN OF THE SUBJECT MATTER   |
| WRB-BASED MEDIA SUBMISSION TOOL  |  |   |
|  |  | 4   |
| the specification of which   |  |   |
| (check one)  | is attached hereto; was filed on   | as  |
|  | Application No.  |   |
|  | and was amended on   | (if applicable)   |
| I HAVE REVIEWED AND UNDERSTAND THE CONT<br>INCLUDING THE CLAIMS, AS AMENDED BY ANY A   | ents of the above-li<br>LMCNDMENT REFERRE  | DENTIFIED SPECIFICATION,<br>D TO ABOVE;   |
| I ACKNOWLEDGE THE DUTY TO DISCLOSE TO THE<br>MATERIAL TO PATENTABILITY AS DEFINED IN 1TI<br>(as amended effective March 16, 1992);   | OFFICE ALL INFORMA<br>LE 37, CODE OF FEDER   | TION KNOWN TO ME TO BE<br>AL REGULATIONS, Sec. 1.56   |
| I do not know and do not believe the said invention was away my or our invention thereof, or patented or described in an invention thereof or more than one year prior to said applied in the United States of America more than one year prior to or made the subject of an inventor's certificate issued before United States of America on any application filed by me or months prior to said application; | y printed publication in any<br>ation; that said invention w<br>o said application; that said<br>to the date of said application | country before my or our as not in public use or on sale invention has not been patented on in any country foreign to the |
| I hereby claim foreign priority benefits under Title 35, Uni application(s) for patent or inventor's certificate at indicate application for patent or inventor's certificate on this inventoring the priority is claimed:   | ed below and have also iden  | tified below any forcign  |

thank the court made of the transfer and the transfer of the t

Mr. Com

Date: 7/15/99 Time: 3:46:42 PM

Page 2 of 3

JUL-15-88 THU 12:54 PM BURNS DOAN SWECKER FAX NO. 8502338934

P. 03

| COMBINED DECLARATION AND POWER OF ATTORNEY Attorney's Docket No. 032374-003   |  |                                   |                     |  |  |  |  |  |
|---|--|-----------------------------------|---------------------|--|--|--|--|--|
| COUNTRY/INTERNATIONAL   | Application number   | DATE OF FILING Iday, month, years | PRIORITY<br>CLAIMED |  |  |  |  |  |
|   |  |                                   | YES_NO_             |  |  |  |  |  |
|   |  |                                   | YES_NO_             |  |  |  |  |  |
| I hereby appoint the following attorneys at<br>Trademark Office connected therewith a<br>applications directed to said javention:   | I hereby appoint the following attorneys still agent(t) to protecute said application and to transact all business in the Patent and Trademark Office connected therewith and to file, protecute and to transact all business in connection with international |                                   |                     |  |  |  |  |  |
| William L. Mathis         17,357         George A. Rovarde, Jr.         28,223         Prier K. Ekiff         32,917           Fuer R. Smother         19,913         James A. Labarra         28,512         Richard J. Mothad         29,125           Rabert S. Swecker         19,855         R. Joseph Gas         28,510         Mathew L. Schoulde         22,824           Piston N. Mandrog         22,124         R. Deany Hundington         27,903         Michael G. Savage         22,926           Bouten S. Doffen, Jr.         22,000         Eric H. Weinblen         30,005         Garld F. Swim         30,113           Morreau H. Scopule         22,716         James W. Previton         20,005         Garld F. Swim         30,113           Morreau H. Scopule         24,970         Tocas Statisk Rea         29,427         Charles P. Wichard III         33,006           Frederick G. Michael Jr.         25,903         Robert R. Krobe         25,423         Rever T. Wieder         33,815           Alm IL Ropocki         18,2513         William C. Rowland         30,886         Prode R. Waters         26,460           Regis E. Slutter         26,592         T. Gine Dilutamy         21,422         Rothi S. Jilliam         31,979           Samuel C. Miller, III         27,300         Par |  |                                   |                     |  |  |  |  |  |
|   | Burns, Doane, Swecker & M.<br>P.O. Box 1404<br>Alexandria, Virginia 22313-1404   |                                   |                     |  |  |  |  |  |
| Address all telephone calls to: Michael   | I J. Ure, Eag  | af (                              | (650) 854-7400.     |  |  |  |  |  |
| I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.   |  |                                   |                     |  |  |  |  |  |
| FULL NAME UT SOLE OR FIRST INVENTOR   | SIGNATURE  |                                   | RIAD                |  |  |  |  |  |
| Liss T. Word  RESIDENCE  One Woodside Court, Degville, Chiffring 94506  POYT OFFICE ADDRESS   |  | CTEZENS-UP<br>USA                 |                     |  |  |  |  |  |
| Sense As Above<br>Full name of Second Joint Inventor.   | IF ANY SKENATURE   |                                   | DATE                |  |  |  |  |  |
| SCOULM LEWIS  CITZENSUP  CITZENSUP  |  |                                   |                     |  |  |  |  |  |
| 314 Squirtet Rupp Way. Danville, California 94506 USA POST OFFICE ADDRESS   |  |                                   |                     |  |  |  |  |  |
| SING AS A DEVE<br>FULL, NAME OF TIERD POINT INVENTOR, II  | ANY SURATURE   | <del>-1) </del>                   | DATE/               |  |  |  |  |  |
| Robin T. Priod  | ( John   | Time                              | 7 /15/99            |  |  |  |  |  |
| RESIDENCE<br>2316 Circora Court, Burketey, California 94706   | ,  | CITIZENSHIP                       | Į                   |  |  |  |  |  |
| POST OFFICE ADDRESS   |  |                                   |                     |  |  |  |  |  |
| Shire At Above  |  |                                   |                     |  |  |  |  |  |